

SHEERWEAVE

ROLLER BLINDS



Adding Value and Comfort to your Home.

www.varilux.co.za

Varilux

THE MATERIAL

SHEERWEAVE 4500

This exterior sun control fabric protects your space from harmful UV rays.

Not only does this material contribute to reduced cooling and energy costs while delivering a refined finish to any space, it can also maximize daylighting benefits allowing for excellent outward visibility

ANTIMICROBIAL PROTECTION

PEACE OF MIND

The ability to disinfect and keep fabrics clean is crucial for the health and wellness of every home, working continuously to inhibit the growth of bacteria, mold and mildew that can cause stains, odors and product deterioration.

ENERGY EFFICIENT & SUSTAINABLE

Our fabrics qualify for LEED certified project points and include a host of sustainable and energy efficient features and certifications including DOW ECOLIBRIUM™ Bio-Based Plasticizers, GREENGUARD certification and Cradle to Cradle Certified™ Bronze.


QUALITY GUARANTEED

DURABLE & RELIABLE

Our confidence in our products is backed by a 5-year internal limited warranty.

SAFE FOR YOUR HOME

SheerWeave® fabrics are lead free, meet rigorous flame certification standards and have earned the Safe Use designation (provides assurance that products comply with the most stringent standards for chemical content in the world).



Varilux

www.varilux.co.za

TECHNICAL SPECIFICATIONS



Product Classification:	Roller Roman Panel Sliding Panel Outdoor
Opacity:	5% Screen
Composition:	25% Polyester, 75% Vinyl on Polyester (over 50% of compound components are derived from crop based feed stocks and minerals. Over 2/3 of total compound is derived from non fossil fuel based feed stocks)
Fabric Width:	2500 3200mm
Weight:	488 g/m2
Environment:	Interior and External use
Fire Retardant:	AS1530 Part III California US Title 19 (small scale) NFPA 701 – 2004TM#1 (small scale) BS5867 2008 Part II Type B
Certifications:	DOW Ecolibrium (Bio based plasticizers) Microban antimicrobial additives GREENGUARD Mould and bacteria Standard GREENGUARD certified GREENGUARD for Children and Schools Lead Free No PVC smell
Acoustical Performance:	NRC (Noise Reduction Coefficient) and SAA (Sound Absorption Average) tested in accordance with ASTM C423-09a. NRC .15 / SAA .17
Fabric Orientation:	Multi-Directional
Cleaning:	Fabric should be regularly dusted/vacuumed. May be wiped with warm water and mild detergent.
Warranty:	10 Year Internal 5 Year External

Colour	Solar Optical Properties				Shading Coefficient	
	TS	RS	AS	TV	3mm CL	6mm CL
White	12	74	14	11	0.26	0.27
White Grey	10	49	41	11	0.44	0.43
White Linen	13	62	25	13	0.35	0.35
White Stone	12	61	27	12	0.36	0.36
Blue Grey	10	48	42	13	0.39	0.38
Linen	10	47	43	11	0.45	0.44
Grey	7	29	64	10	0.50	0.48
Dune Grey	11	36	53	12	0.47	0.44
Sandstone	8	40	52	9	0.36	0.36
Charcoal Grey	7	10	83	10	0.70	0.67
Charcoal Tan	6	18	76	9	0.57	0.52
Charcoal Bronze	7	5	88	9	0.73	0.70
Charcoal	5	3	92	7	0.74	0.70

TS = Solar Transmittance
AS = Solar Absorption
3mm CL = 3mm Clear Glass

RS = Solar Reflectance
TV = Visual Transmittance
6mm = 6mm Clear Glass



Varilux

www.varilux.co.za



OPTIONS

M A N U A L

V A R I L U X H A R D W A R E

We are committed to providing our customers with top-quality products, which is why we source our Aluminium and Stainless steel hardware from Europe, ensuring that they meet the highest European standards.

M O T O R I Z E D

we're committed to providing the best possible solutions for our customers' window treatment needs.

That's why we use Somfy motorization in our roller blinds. Somfy is a leader in the motorized window covering industry, known for its innovative and reliable products.

With Somfy motorization, you can enjoy the convenience of controlling your roller blinds with the touch of a button, all while improving the energy efficiency of your home and office.

COLOURS

We offer 7 classic colours to choose from,
we combine aesthetic appeal with technical performance.

